

Civil Engineering and Remote Sensing

Jean-Pierre Bardet
Chair, Sonny Astani Department of Civil and Environmental Engineering
Director, USC Center on Megacities



NASA Workshop February 2, 2010



Acknowledgements

- Andrea Donellan, JPL
- Ellen Rathje, UT Austin
- Masanobu Shinozuka, UCI
- Ron Eguchi, ImageCat, Long Beach
- Masa Hamada, Waseda University, Japan
- Costas Synolakis, USC
- Costas Sioutas, USC
- American Society of Civil Engineers





Overview

- Grand Challenges in Engineering
- Civil Engineering and Infrastructure
- Megacities and urban Infrastructure
- Remote Sensing in Civil Engineering
- Future applications
- Recommendations





Greatest Engineering Achievements OF THE 20TH CENTURY

About

• Timeline

• The Book

Welcome!

How many of the 20th century's greatest engineering achievements will you use today? A car? Computer? Telephone? Explore our list of the top 20 achievements and learn how engineering shaped a century and changed the world.

- Automobile
- Water Supply and Distribution 14. Imaging
- 6. Radio and Television
- 8. Computers
- 10. Air Conditioning and Refrigeration

- Highways

- 15. Household Appliances
- 16. Health Technologies
- 17. Petroleum and

Petrochemical Technologies


- 18. Laser and Fiber Optics
- 19. Nuclear Technologies
- 20. High-performance Materials







14 Grand Challenges of NAE





Make solar energy economical



Provide energy from fusion



Develop carbon sequestration methods



Manage the nitrogen cycle



Provide access to clean water



Restore and improve urban infrastructure



Advance health informatics



Engineer better medicines



Reverse-engineer the brain



Prevent nuclear terror



Secure cyberspace



Enhance virtual reality



Advance personalized learning



Engineer the tools of scientific discovery




www.engineeringchallenges.org

USC Viterbi School of Engineering

National
Academy of
Engineering
(NAE) Grand
Challenges
for
Engineering







Where does our water supply come from? What is desalination?

What other technologies will provide clean water?

Provide

access to clean water

When Samuel Taylor Coleridge wrote "water, water, everywhere, nor any drop to drink," he did not have the 21st century's global water situation in mind. But allowing for poetic license, he wasn't far from correct. Today, the availability of water for drinking and other uses is a critical problem in many areas of the world.



What is involved in maintaining infrastructure?

How can you improve transportation systems?

How do you build better infrastructure?

Restore and improve urban infrastructure

n 2005, the American Society of Civil Engineers issued a report card, grading various categories of U.S. infrastructure.

The average grade was "D."



How do you make solar energy more economical?

How do you store solar energy?

Make solar energy economical

As a source of energy, nothing matches the sun. It out-powers anything that human technology could ever produce. Only a small fraction of the sun's power output strikes the Earth, but even that provides 10,000 times as much as all the commercial energy that humans use on the planet.



How do you capture CO2?

How do you store CO2?

Develop carbon sequestration methods

The growth in emissions of carbon dioxide, implicated as a prime contributor to global warming, is a problem that can no longer be swept under the rug. But perhaps it can be buried deep underground or beneath the ocean.



Overview

- Grand Challenges in Engineering
- Civil Engineering and Infrastructure
- Megacities and Urban Infrastructure
- Remote Sensing in Civil Engineering
- Future Applications
- Recommendations






Civil Engineering

- Civil engineering is the second oldest engineering discipline after military engineering.
- The term "<u>civil</u> engineering" was coined to differentiate from <u>military</u> engineering.
- Civil engineers design and build not only buildings and bridges but also infrastructures.






Tallest Structures







History of Tallest Structures





	Name and Location	Height (meters)
2700 BC	Pyramid of Djoser, Egypt	62
2600 BC	Red Pyramid of Sneferu, Egypt	105
2570 BC	Great Pyramid of Giza in Egypt	146
1311	Lincoln Cathedral in England	160
1549	St. Olaf's Church in Tallinn, Estonia	159
1625	St. Mary's Church in Stralsund, Germany	151
1647	Strasbourg Cathedral in France	142
1874	St. Nikolai in Hamburg, Germany	147
1876	Cathédrale Notre Dame in Rouen, France	151
1880	Cologne Cathedral in Germany	157
1884	Washington Monument in Washington D.C., United States	169
1889	Eiffel Tower in Paris, France	300
1930	Chrysler Building in New York, United States	319
1931	Empire State Building in New York, United States	381
1967	Ostankino Tower in Moscow, Russia	537
1975	CN Tower in Toronto, Canada	553
2007	Burj Khalifa in Dubai, United Arab Emirates	828



USC Viterbi School of Engineering


Tallest Structures







Tallest Structures







Tallest Structures

Warsaw Radio Mast

Location: Warsaw, Poland


Height: 646 m

• Built in: 1974

Collapsed in: 1991







USC Viterbi School of Engineering

Burj Khalifa

Location: Dubai

Height: 828 m

• Built in: 2007







Longest Bridges



Pontchartrain Causeway

Location: Louisiana

Length: 38,442 m

• Built in: 1956



Donghai Bridge

 Location: People's Republic of China

Length: 32,500 m

• Built in: 2005





Hangzhou Bay Bridge

Carries	6 lanes of expressway
Crosses	Hangzhou Bay
Locale	Jiaxing / Cixi City People's Republic of China
Total length	35.673 km (22 mi)
Longest span	448 m (1,470 ft)
Opened	2008







Longest Span Bridges



No. 1 Akashi-Kaikyō Bridge

Main Span (m)	1,991
Year Opened	1998



No. 9 Golden Gate Bridge (No. 1 from 1937 until 1964)

Main Span (m)	1,280
Year Opened	1937





But there are more than buildings and bridges... Infrastructures





USC Viterbi School of Engineering





http://www.infrastructurereportcard.org/report-cards







ASCE Report Card







SEAR

★ HOME ★ REPORT CARDS ★ STATES ★ CATEGORIES ★ SOLUTIONS ★ TAKE ACTION ★ NEWSROOM ★



2009 Grades

Aviation Bridges D Dams **Drinking Water** D-Energy D+ Hazardous Waste D Inland Waterways D-Levees D-Public Parks and Recreation Rail Roads D-Schools D Solid Waste C+ Transit Wastewater

America's Infrastructure GPA: D

Estimated 5 Year Investment

Need: \$2.2 Trillion

It's Your State

What's the state of your State's infrastructure? Find out now

Key Solutions

ASCE offers five ambitious ways to raise the grades. Read them.

Get Involved

Join Our Facebook Group: "Save America's Infrastructure"

ASCE Member? Be a Key Contact

Meet the New Kid on the Blogroll

ASCE and Building America's Future Call for National Infrastructure Bank

ARRA's Doing What It's Supposed to Do

Take Our Poll

Five categories received D. Which is the most urgent?:

- Drinking Water
- Inland Waterways
- Levees
- Roads
- Wastewater


Vote

COPYRIGHT @2009 | PRIVACY | TERMS AND CONDITIONS | CONTACT US



ASCE Report Card: D Dams

FIGURE $1.1 \star$ Number of High Hazard Dams in the United States







ASCE Report Card: D-Levees

TABLE 4.1 * Damages from Flooding in Levee-Related Areas

LOCATION/YEAR	DAMAGES IN DOLLARS
Midwest 1993	\$272,872,070
North Dakota/Minnesota 1997	\$152,039,604
Hurricane Katrina 2005	\$16,467,524,782
Midwest 2008	\$583,596,400
SOURCE National Committee on Levee Safety	





ASCE Report Card: D-Drinking Water

TABLE $2.2 \star$ Water Usage: 1950 and 2000

	1950	2000	PERCENT CHANGE
Population (Millions)	93.4	242	159%
Usage (Billions of Gallons per Day)	14	43	207%
Per Capita Usage (Gallons per Person per Day)	149	179	20%

SOURCE US EPA Clean Water and Drinking Water Infrastructure Gap Analysis Report, September 2002





Drinking Water – National **D-**



Leaking pipes lose an estimated 7 billion gallons of clean drinking water a day



National Statistics

- Total value of water supply networks is estimated at \$4.8 billion per million population
- 26% of US water systems are unlined cast iron and steel in poor condition with a replacement value of \$348 billion
- In the US, 2 million miles of pipeline, mostly buried and hard to access
 - 250,000 to 300,000 "breaks" per year
- USGS Reports 6 billion gal/year are "losses or public use"- enough to supply the 10 largest US cities







Would you drink water from those pipes?














ASCE Report Card: C+ Solid Waste

FIGURE 5.1 * Percent of Municipal Solid Waste that is Recycled:



SOURCE EPA Facts and Figures about Municipal Solid Waste, 2008

USC MEGACITIES

FIGURE 5.2 * Components of Municipal Solid Waste (254 million tons generated in 2007)

	% OF MSW	Paper, paper board Yard trimmings
Paper, paper board	32.7	Food
Yard trimmings Food scraps	12.8	Scraps
Plastics	12.1	
Metals	9.2	Other
Rubber, leather, textiles	7.6	Glass Wood Metals
Wood	5.8	Rubber,
Glass Other	5.3 3.2	leather, textiles
SOURCE EPA Facts and Figures		



ASCE Report Card: C Bridges

TABLE $8.1 \star \text{U.s.}$ Bridge Statistics

	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
All Bridges	582,976	585,542	589,674	589,685	590,887	591,940	593,813	595,363	597,340	599,766
Urban	128,312	130,339	133,384	133,401	135,339	135,415	137,598	142,408	146,041	151,171
Rural	454,664	455,203	456,290	456,284	455,548	456,525	456,215	452,955	451,299	448,595
Structurally Deficient Bridges, Total	93,072	88,150	86,692	83,595	81,261	79,775	77,752	75,923	73,784	72,520
Urban	14,073	12,967	NA	12,705	12,503	12,316	12,175	12,600	12,585	12,951
Rural	78,999	75,183	NA	70,890	68,758	67,459	65,577	63,323	61,199	59,569
Functionally Obsolete Bridges, Total	79,500	81,900	81,510	81,439	81,537	80,990	80,567	80,412	80,317	79,804
Urban	27,588	26,095	29,398	29,383	29,675	29,886	30,298	31,391	32,292	33,139
Rural	51,912	52,835	52,112	52,056	51,862	51,104	50,269	49,021	48,025	46,665

NA = Not Available


 $\textbf{SOURCE}\ \textit{Transportation Statistics Annual Report}, \text{U.S. Department of Transportation, Bureau of Transportation Statistics}, 2008$





ASCE Report Card: C Bridges

FIGURE 8.1 * Percent of Deficient Bridges in the United States





SOURCE State Transportation Statistics: 2007, U.S. Department of Transportation, Bureau of Transportation Statistics, 2008



Overview

- Grand Challenges in Engineering
- Civil Engineering and Infrastructure
- Megacities and Urban Infrastructure
- Remote Sensing in Civil Engineering
- Future Applications
- Recommendations






World Urbanization

By 2008, for the first time in history, half of the world's population will live in urban areas.


Source: United Nations, 2005








Megacities From Space





New York London Rhino-Ruhr Moscow Shanghai Bluenos Aires

Megacities





Source:

U.N. Population Division



Characteristics of Megacities

- Have high concentration of people, values and infrastructure
- Have high interconnectivity within region/country/continent / world
 - Interdependent flow of goods, finance and information
 - global cities: gateways of regional markets
- Have infrastructures that are enormous, aging, fragmented, complicated and interdependent





Overview

- Grand Challenges in Engineering
- Civil Engineering and Infrastructure
- Megacities and Urban Infrastructure
- Remote Sensing in Civil Engineering
- Future Applications
- Recommendations



USC Viterbi


School of Engineering

M. Netzband W. L. Stefanov C. Redman (Eds.)



Applied Remote
Sensing for Urban
Planning, Governance
and Sustainability





SECOND EDITION

Remote Sensing of the Environment

An Earth Resource Perspective









Remote Sensing in Civil Engineering

- Airborne Stereo Photogrammetry
 - Elevation maps
 - Displacement (false relief)/ Soil liquefaction
- Airborne LIDAR
 - High-resolution elevation maps
 - Coastal erosion
- Landsliding
 - Satellite/Optical imagery





Remote Sensing and Civil Engineering

- Civil engineers are mainly using optical data
 - Photogrammetry from aerial photographs
 - Displacements from photogrammetry
 - Visual analysis of damage using satellite imagery
 - Altimetry

USC MEGACIT

- Civil engineers are moving toward
 - LIDAR for 3D images
 - inSAR and PSinSAR
- Civil engineers have still to explore other more sophisticated remote sensing, e.g. hyperspectral sensing



Ground Displacements from Stereo Photogrammetry

1971 San Fernando earthquake







Soil Liquefaction



1964 Niigata earthquake








1995 Kobe earthquake, Port Island


Courtesy of M. Hamada








Liquefaction-Induced Ground Deformation





Spatial Analysis in Port Island, Japan




Measured displacement and geotechnical boreholes







Laser Altimetry: High Resolution Topography




USC MEGACITIES












Landslides

- Reconnaissance of 2004 Niigataken Chuetsu Earthquake in Japan
 - Thousands of landslides
 - Difficult access
- Annotated IKONOS image from C. Scawthorn of Kyoto University
 - Landslides visually identified
 - Liquefaction identified
 - Notes regarding damage, ground motions, previous reconnaissance activities








2008 Wenchuan Earthquake

M 7.9m, ~ 200 km of fault rupture



- Affected area larger than 10,000 km²
- Significant landslides in mountainous area
- Courtesy of Rathje, 2010



Wenchuan Earthquake



LANDSAT Imagery

- Cloud-free pre-event imagery (April 2007/2008)
- Post-event imagery (May 2008) with significant cloud cover at edge of mountains
- High-resolution data
 - Post-event IKONOS (IK) imagery purchased by USGS and made available to researchers
 - Pre- and post-event Quickbird (QB) imagery purchased by Remote Sensing Consortium over localized areas





Landslide Identification

Pre-event LANDSAT



~ 5 km x 5 km area







Post-event IKONOS




Courtesy of E. Rathje



Wenchuan EQ


- Heavy concentration of landslides near Ying Xiu and Miansi
- Fewer landslides to the west of epicenter
- Courtesy of E. Rathje







Miansi (PGA~0.92 g)






Ying Xiu (PGA~0.96 g)

LANDSAT Analysis

QB Visual Interpretation





Landslides Urban damage 2 kmCourtesy of

E. Rathje



SAR applications in Civil Engineering


- Damage assessment
 - Earthquake/ Change in reflectance
- Ground subsidence due to water removal
- Tectonic strains around faults
- Landsliding
 - Small displacement/large areas



InSAR Workshop Summary Report

October 20–22, 2004 Oxnard, California

Sponsored by: National Aeronautics and Space Administration (NASA), National Science Foundation (NSF), and United States Geological Survey (USGS)




Societal Benefit Areas Table Key H = High level of importance to benefit area H = Medium level of importance to benefit are a L= Low level of importance to benefit area Disasters Hote: This list of abservations is not meant to be comprehensive Land Elevation/Topography Μ Land Use/Land Cover (Crops, Forests, Urban, etc.) Ecosystem Parameters (Health, Diversity, etc.) (Detection, Extent, Severity) Soll Moisture ice and Snow M Μ Μ Μ Μ (Cover and Volume) Land and Sea Surface Temperature River Runoff (Volume, Sediment, etc.) Water Quality (Contamination, Spills, etc.) Sea Surface Height/Topography Ocean Current and Circulation M Ocean Salinity Ocean Color (Chlorophyll, etc.) Atmospheric Constituents Ozone, Greenhouse Gases, Black Carbon, Μ Volcanic Ash, and Other Aerosols, etc.) Atmospheric Profiles (Temperature, Pressure, Water Vapor) Wind Speed and Direction (Surface, Tropospheric, Stratospheric) Cloud Cover M Properties, Type, Height) Total and Clear Sky Radiative Flux Solar Irradiance Space Weather Deformation/Subsidence/ Ground Fallure Earthquake and Volcanic Activity, Gravity, Magnetic Field Variations Geology/Bedrock and Surface Solls Species (Occurrences, Density, etc.)


USC Viterbi

School of Engineering


LandSAT - Adapazari, Turkey



SAR reflectance data Before Earthquake - 4/24/99




After Earthquake - 9/10/99





SAR Interferometry: Ground Subsidence



www.npagroup.com





Pomona G. Pelzer, 1997






SAR Interferometry: Tectonic Strain








Courtesy of JPL SAR Interferometry











Permanent Scatterer InSAR














USC Viterbi School of Engineering



Мар Satellite Terrain North Dakota Montana Washington Minnesota Brun + South Wisconsin Dakota Michigan Oregon Idaho Wyoming New York lowa Nebraska Ne Pennsylvania Mass Illinois Indiana Rhode Is Colorado Kansas Virginia Connecticut Missouri Kentucky Virginia New Jersey Nem Oklahoma Arkansas Delaware Carolina Maryland South Mississippi District of Carolina Alabama Columbia Georgia Texas Louisiana North America Florida Gulf of POWERED BY Mexico Google Méxicolap data ©2009 Google, Tele Atlas, INEGI -



Total Number of flightlines with data on the map: 121



Challenges

- PSinSAR freeware is not trivial to use for civil engineers
- Steep learning curve
- PSinSAR professional software is expensive
- High cost of SAR photos





Other Applications in Civil Engineering

- Air Pollution
- Tsunamis
- Ground Deformation and Surface Faulting
- High Speed Rail
- Water Distribution System






Effects of Air Pollution and Microclimates on Public Health in Megacities





PM Size Distributions

Courtesy of C. Sioutas








USC MEGACITIES

Air pollution





Y. Liu,C. J. Paciorek,and P. Koutrakis, 2009, "Estimating Regional Spatial and Temporal Variability of PM2.5 Concentrations Using Satellite Data, Meteorology, and Land Use Information," Environmental Health Perspectives



Air Pollution

Y. Liu, C. J. Paciorek, and P. Koutrakis, 2009, "Estimating Particle Sulfate Concentrations Using MISR Retrieved Aerosol Properties," IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing











Tsunami










2004 Tsunami in Banda Aceh






J. C. Borrero, Science, 2005 Satellite image of Banda Aceh after tsunami, draped over a 500-m DEM. Yellow line is the shoreline from before the tsunami. The red line identifies the extent of inundation. Red dots show measurement locations of flow depth or direction. Numbers show indicative measurements.



Remote Sensing: Tsunamis

- RADAR ALTIMETERS on-board the Jason-1, TOPEX, Envisat, and GFO satellites obtained profiles of sea surface height on transects across the Indian Ocean between two and nine hours after the December 26 Sumatra earthquake.
- The data are received hours to days after "real time," too late to be used in detection and warning of tsunamis.
- Analysis of altimeter data was facilitated by "RADS," the Radar Altimeter Database System (M. Naeije et al., 2002)








Overview


- Grand Challenges in Engineering
- Civil Engineering and Infrastructure
- Megacities and Urban Infrastructure
- Remote Sensing in Civil Engineering
- Future Applications
- Recommendations







Water Pipe Leaks and Blowouts in LA since 2001





Conclusions

- Civil engineers design, build and operate not only bridges and buildings, but also infrastructures
- ASCE awarded a D grade to our infrastructures
- Civil engineers are familiar with optical imageries, but not as much with SAR and more advanced remote sensing applications
- PSInSAR processing tools need to be more user-friendly and less expensive
- UAVSAR offers a myriad of possibilities for urban infrastructures
- There are many potential applications of remote sensing in civil engineering as we reinvent/rebuild the infrastructure of the 21st century

